

FreeSpan




 Liko

FreeSpan, Freestanding Lifting System

FreeSpan, a new product from Liko, consists of three components: a lift rail with a pre-fitted carriage and two uprights. No tools are required for assembly. Choose either Multirall or Likorall lift motors. FreeSpan is made of aluminium and is available in 8 different lift-rail lengths ranging in width from 2 to 5.5 metres. FreeSpan is equipped with wheels, which facilitates positioning in the room and cleaning.

A complete lift system includes: lift rails, uprights, lift motor, handheld control, battery charger, sling bar and sling.

Technical specifications, measurements



Mod	Cap	A	A min	L	B	C	D	E	Weight	
15	440	88.5-104	67	59	78.3	3.9	3	48.8	85.8	28.6
20	440	88.5-104	67	78.7	98	3.9	3	48.8	91.3	34.1
25	440	88.5-104	67	98.4	117.7	3.9	3	48.8	96.8	39.6
30	440	88.5-104	67	118	137.4	3.9	3	48.8	102.3	45.1
35	440	88.5-104	67	137.8	157	3.9	3	48.8	107.8	50.6
40	440	88.5-104	67	157.5	176.8	3.9	3	48.8	113.3	56.1
45	440	88.5-104	67	177	196.5	3.9	3	48.8	118.8	51.6
50	440	88.5-104	67	192	216	3.9	3	48.8	124.3	67.1

Capacity and Weight in lbs. Measurements in inches.

Mod	Cap	A	A min	L	B	C	D	E	Weight	
15	200	2250-2650	1700	1500	1990	135	75	1240	39	13
20	200	2250-2650	1700	2000	2490	135	75	1240	41,5	15,5
25	200	2250-2650	1700	2500	2990	135	75	1240	44	18
30	200	2250-2650	1700	3000	3490	135	75	1240	46,5	20,5
35	200	2250-2650	1700	3500	3990	135	75	1240	49	23
40	200	2250-2650	1700	4000	4490	135	75	1240	51,5	25,5
45	200	2250-2650	1700	4500	4990	135	75	1240	54	28
50	200	2250-2650	1700	5000	5490	135	75	1240	56,5	30,5

Capacity and Weight in kg. Measurements in mm.



FreeSpan is classified as a medical technical product Class I.

FreeSpan complies with the requirements according to IEC 60601-1, IEC 60601-1-2,

UL-2601-1 and CAN/CSA C22.2 No.606.1.

FreeSpan also complies with ISO EN 105 35, which entails, among other tests, a tip test at 25% overload and a 10° incline. This test is performed in all directions and with the least favourable position of the loaded lift motor on the rail.

Maximum load: 200 kg, 440 lbs, 32 st.

Made in Sweden



www.liko.com

Manufactured by
Liko AB
Nedre vägen 100
SE-975 92 Luleå, Sweden
info@liko.se

National Distributor in USA and Canada
Liko Inc
842 Upper Union Street, suite 4
Franklin, Ma 02038, USA
Tel 508-553-3993, 1-888-545-6671
Fax 508-528-6642
info@likoinc.com

Liko Distributor in UK
Liko (UK) Ltd.
Liko House, L&M Business Park
Norman Road, Altrincham Cheshire
WA 14 4ES, UK
Tel (0161)926 8067 Fax (0161)929 7050
info@liko.co.uk